

SPACING WHEEL - PSW-10



SPACING WHEEL - PSW-10

The Packserv PSW-9 Packserv Spacing Wheel is mounted on the side of a conveyor and is used to evenly space out containers running along a conveyor belt.

The 20cm (7.8 in) diameter PCV wheel comes with a variable speed controller that is also reversible to allow mounting on either side of the conveyor.

The spacing wheel is suitable for food and pharmaceutical use and allows for fast changeover of containers and does not require tools for adjustments.

ADDITIONAL INFORMATION

- Fast changeover of products and parts
- No tools required for setting adjustments
- Suitable for food, cosmetics and pharmaceutical industries
- Reversible with a single button
- Can be easily mounted on a conveyor
- Spaces containers of all shapes and materials

SPACING WHEEL - PSW-10

SPECIFICATIONS

Weight	5 kilograms (11lbs)
Length	200mm (8in)
Width	200mm (8in)
Height	100mm (4 in)
Slat Width	114.3mm (4.5in)
Conveyor Width	130mm (5in)
Operating Height	Bolt on
Power Supply	Single phase 240V, 10 AMPs (120 V, 15 AMPs)

Construction Type	200mm (8in) PVC wheel with aluminium mounting
Container Types	Used for spacing bottles travelling down a conveyor
Mounting	Mounted onto the side of a conveyor
Industries	All food, pharmaceutical and industrial applications
Noise	Low
Conveyor	300mm (12in) rubber belt