

TROLLEY MOUNTED TAKE OFF TRANSFER BELTS - PTO-9-T



TROLLEY MOUNTED TAKE OFF TRANSFER BELTS - PTO-9-T

The Packserv PTO-9 Trolley Mounted Take Off Transfer Belts are a valuable addition to any production line. These versatile belts play a pivotal role in batch coding and ink jet printing on containers as they reach the end of the production line, eliminating the need to halt operations for these processes.

Not only do these transfer belts facilitate seamless batch coding, but they also excel in moving unstable containers across bridges or gaps between motion devices. They can securely hold containers in place during labelling and other processes, ensuring a smooth workflow.

The Take Off Transfer Belts are specifically designed for transporting round, stable, or unstable items on a production line. The trolley they are mounted on offers easy vertical and horizontal adjustments, catering to various conveyor systems and container types. Equipped with wheels and levelling jacks, the trolley enhances efficiency in operations.

ADDITIONAL INFORMATION

- Suitable for stabilising movement of unstable containers
- Great for batch coding and container base inkjet printing
- Can be mounted directly to a conveyor or trolley
- Allows for a fast changeover of different containers
- Fully speed adjustable
- Suitable for food and pharmaceutical use
- Designed for transporting and handling round, stable or unstable items in transit

TROLLEY MOUNTED TAKE OFF TRANSFER BELTS - PTO-9-T

SPECIFICATIONS

Weight	35 kilograms (77lbs)
Length	500mm (20in)
Width	500mm (20in)
Height	900mm (3 ft)
Slat Width	114.3mm (4.5in)
Conveyor Width	130mm (5in)
Operating Height	900mm (3ft) belt height, adjustable on frame
Power Supply	Single phase 240V, 10 AMPs (120 V, 15 AMPs)
Construction Type	All 316 stainless steel, aluminium and engineering grade plastics

Container Types	Ideal for printing batch numbers or labelling on the base of containers
Mounting	Mounted onto a mobile trolley, with lockable castors
Industries	All food, pharmaceutical and industrial applications
Noise	Low
Conveyor	90mm (3.5in) vertical rubber belts
Speed	Variable speed control
Guide Rails	None