


SINGLE HEAD 5Lt BOTTOM UP FILLER - PFM-5-BUF-A



SINGLE HEAD 5Lt BOTTOM UP FILLER - PFM-5-BUF-A

The Packserv PMF-5-BUF-A Single Head 5Ltr Bottom Up Filler is a fully automatic liquid, paste and cream filling machine that is both user friendly and versatile. The heavy duty, all pneumatic design of the PFM-5-BUF-A is compact, reliable and easy to clean, and is designed for a semi-automatic benchtop function. This machine features a 5 litre product cylinder allowing for single-shot filling of containers anywhere from 500mL to 5000mL.

The PFM-5-BUF-A also comes standard with positive shut-off nozzles and a bottom up fill assembly. The spool-valve system of the machines handles all types of bottling products, from think liquids to creams and thick pastes as well as hot and cold filling. It can handle temperatures up to 95°C (203°F) with ease during the filling process. The PFM-5-BUF-A also comes complete with a “no bottle no fill” safety device and container gating system.

The cylinder design of the PFM-5-BUF-A enables quicker dismantling and an easier, more thorough cleaning of wet parts. A number of product supply methods can be used to suit the nature of the product or your needs.

The stroke adjuster and air/product cylinder drive assemblies are enclosed with a safety interlocked poly-carbonate cover that shuts the machine off should an operator open the door during production.

ADDITIONAL INFORMATION

- Heavy duty pneumatic product cylinder drive system
- All pneumatic flameproof operation suitable for use with flammable products
- Easy volume adjustment while running a single cylinder
- Adjustable piston fill and recharge stroke speed
- Simple tool-free dismantling makes for easier cleaning
- Quick changeover of products and parts
- Suitable for liquids, creams and pastes
- This filler is suitable for food, cosmetics , pharmaceutical and industrial use
- Suitable for a warm water hose down
- Quick connect tri-clover product inlet/outlet fittings
- Various methods to feed the product to the machine are available
- Features a bottom up fill (BUF) to reduce foam, frothing, and bubbling of products
- Features a 5L product cylinder capable of filling

SINGLE HEAD 5Lt BOTTOM UP FILLER - PFM-5-BUF-A

SPECIFICATIONS

| | |
|-------------------|--|
| Weight | 75 kilograms (165lbs) |
| Length | 1200mm (4ft) |
| Width | 500mm (20in) |
| Height | 800mm (31in) |
| Power Supply | Air compression |
| Construction Type | 316 grade stainless steel wet parts |
| Container Type | Any bottles, bags, sachets, vials, tubes, cartridges, |
| Mounting | Benchtop (trolley mountable) |
| Industries | Industrial, chemical, cleaning, agricultural, food, pharmaceutical |
| Air Pressure | 600kpa (80psi) |
| Units Per Minute | 10-15UPM (guide only) |
| Noise | Medium |

| | |
|-----------------------|---|
| Flameproof | Yes |
| Timer Control | Pneumatic |
| Speed | Totally speed adjustable for all functions |
| Fill Range | 500ml – 5ltr |
| Fill Temperature | Cold and hot fill |
| Fill Type | Liquids, creams, lotions |
| Not Suitable Products | Dry powder and granules |
| Machine Cleaning | Easy to disassemble for full wash up |
| Volume | Fully adjustable |
| Filling Accuracy | +/- 0.5 to 1% variance |
| Cylinder Sizes | 5000ml |
| Automatic Function | Fully automatic when mounted over a conveyor line |