

OVERHEAD BELT CONVEYOR - POBC-6



OVERHEAD BELT CONVEYOR - POBC-6

PRODUCT DESCRIPTION

The Packserv POBC-6 Overhead Belt Conveyor is a bolt-on accessory to our range of conveyors. Normally mounted over the end of a slat conveyor, it can be used to gently and gradually roll the bead of the lid on a pail slowly as it travels through the reducing gap between the conveyors. It's a great solution for any bucket and pail closures, even used in some applications for closing paint tins.

ADDITIONAL INFORMATION

- Mounted on lockable castors for easier manoeuvrability
- Conveyor comes with height adjusting jacks
- Variable speed control
- Conveyor is also available in other lengths including 2.4m (8ft) and 3.6m (12ft)
- Comes with adjustable guide rails
- Suitable for industrial, food and pharmaceutical use
- Fast changeover of containers

OVERHEAD BELT CONVEYOR - POBC-6

SPECIFICATIONS

Weight	80 kilograms (176lbs)
Length	4800mm (16ft)
Width	500mm (20in)
Height	1200mm (47in)
Slat Width:	114.3mm (4.5in)
Conveyor Width:	130mm (5in)
Operating Height	900mm (3ft) slat height, adjustable on frame
Power Supply	Single phase 240V, 10 AMPs (120V, 15 AMPs)
Construction Type	All 316 stainless steel and engineering grade plastics
Container Type	All containers regardless of shape or material that will stand on their own

Mounting	Lockable castors
Industries	All food, pharmaceutical and industrial applications
Noise	Low
Conveyor	406 stainless steel slat material (high- performance stainless)
Speed	Variable speed control
Guide Rails	Fully adjustable, height and width
Reversible	Yes